



Date of Issue :

Centre :

Sup. Sign :

Seat No. :

**BX-5157-O**      Seat No. \_\_\_\_\_  
**First Year (Post Basic) B. Sc. (Nursing)**  
**Examination**  
**June/July – 2014**  
**Medical Surgical Nursing**

Time : 15 Minutes]

[Total Marks : 15

- Instructions:** (1) Section A should be taken back within first 15 minutes.
- (2) Put  in the appropriate box below the question number once only.
- (3) Use blue ball point pen only.
- (4) Each question carries one mark.
- (5) Students will not be allotted marks if he/she overwrites, strikes or put white ink on the cross once marked.

**SECTION - A**  
**(Objective Questions)**

**1**

(1) Bell's Palsy is a disorder of which cranial nerve ?

(a) CN IV

(b) CN VII

(c) CN IX

(d) CN XII

(2) Which of the following conditions places a patient at a risk for embolic stroke ?

(a) Atrial fibrillation

(b) Deep vein thrombosis

(c) Dehydration

(d) Atherosclerosis

(3) Aqueous humor is formed by

(a) Iris

(b) Lacrimal apparatus

(c) Ciliary process

(d) Choroid

(4) The most common early manifestation of chronic bronchitis is :

(a) A daily productive cough

(b) Dyspnea

(c) Cyanosis

(d) Right ventricular failure

(5) Which of the following is one of the earliest manifestation of lung cancer ?

(a) Hemoptysis

(b) Persistent Pneumonitis

(c) Weight loss

(d) Hoarseness

(6) The most common complication after myocardial infarction is

(a) Cardiac tamponade

(b) Cardiac failure

(c) Pulmonary embolism

(d) Dysrhythmias

(7) Which of the following is the most accurate technique for evaluating pericardial effusion ?

(a) ECG

(b) Echocardiogram

(c) Blood count

(d) Blood culture

(8) Which of the following medications represents the category. Proton pump inhibitors ?

(a) Ranitidine

(b) Pantaprozol

(c) Sucralfate

(d) Clarithromycin

(9) Antidiuretic hormone (ADH) or vasopressin is secreted by :

(a) Hypothalamus

(b) Posterior pituitary

(c) Adrenal gland

(d) Kidney

(10) The most common form of diabetes mellitus is

(a) Type 1 diabetes mellitus

(b) Type 2 diabetes mellitus

(c) Gestational diabetes mellitus

(d) Secondary diabetes mellitus

(11) A shuffling gait is typically associated with the patient who has

(a) Parkinsons disease

(b) Multiple sclerosis

(c) Raynaud disease

(d) Mysthasia gravis

(12) Which of the following match with the definition :  
a poor output of urine ?

(a) Oliguria

(b) Pyuria

(c) Nocturia

(d) Hematuria

(13) Which of the following condition can cause right side heart failure ?

(a) A ventral septal defect

(b) An Anterior MI

(c) An Arterial septal defect

(d) Constrictive pericardities

(14) Which blood test is the best indicator of myocordial injury ?

(a) Lactate dehydrogenas (LD)

(b) A complet blood count (CBC)

(c) Troponin I

(d) Creatine kinase (CK)

(15) Which diet would be most appropriate for a patient with ulcerative colities ?

(a) A low-fat diet

(b) A low-residue diet

(c) A high-calorie diet

(d) A high fiber diet